



Ficha técnica de producto

Guantes desechables de Nitrilo
Referencia: HGN-005, HGN-006, HGN-009,
HGN-010, HGN-011

Descripción

Marca: UKAINT

Barrera de protección para las manos, elaborada en caucho de nitrilo sintético, no contiene silicona. Ampliamente usado en aplicaciones medicas e industriales. Caracterizados por su resistencia, pueden llegar a tener una tolerancia hasta 3 veces superior frente a micro orificios de lo que ofrecen los guantes de latex convencionales.

Registro sanitario Invima: 2023DM 0027701

Escanear código QR para ver el documento expedido por el ente regulador

Componentes y Fabricación

Material

Caucho de Nitrilo, libre de latex, no estéril y sin talco.

Color

Segun referencia: Rosado, Morado

Características físicas

Hipoalergénicos, No estéril, Alta resistencia a la elongación, Ambidiestros, puño con reborde, Superficie interna lisa libre de lubricante, fácil de poner y ajustar, dedos texturizados, Excelente resistencia a las perforaciones comparado con los guantes de vinilo y latex.

Calibre

Calibre 7 (0.07 mm), de alta resistencia y flexibilidad

*unidad de espesor que equivale 0.07mm

AQL 1.5 (ISO 2859-1)

Máximo porcentaje de defectos para inspecciones es inferior al 1.5% del total de la muestra.



EN ISO 374-1



EN ISO 374-5



VIRUS

Peso y Dimensiones


Tallas mm

XS 68-76

S 77-85

M 85-96

L 96-108



Muñeca

5 cm, distancia que cubre el antebrazo desde la muñeca.

Peso

4.5 gr, valor típico de un (1) guante para la talla L

Largo

25 cm/9.8 Pulgadas. Distancia desde la punta del dedo medio hasta la muñeca.

Certificaciones

EN ISO 374-1	EN 420
EN ISO 374-5	EN 455-1:2020
ASTM D6319	EN 455-2:2015
ISO 9001:2015	ISO 2859-1
ISO 13485:2016	EN ISO374-5:2016
Directiva 2002/72/CE	EN ISO374-5:2016
EN455-2:2015	

Modo de Uso

Si observa alguna reaccion desfavorable, suspenda su uso inmediatamente, desechar despues de usar, no usar con joyas ni anillos



Registro Invima



DefinicionesPaca: caja detartón que contiene displays de producto, Display: caja plegadiza impresa que contiene las unidades de producto generalmente usada para exhibir el producto en el punto de venta. Medidas centímetros (cm), Kilogramos(Kg), gramos(gr), metros (m), milímetros(mm)

Documento protegido por derechos de autor prohibida su reproducción total o parcial.
Ukaint S.A.S. - Bogotá, Colombia

www.ukaint.com



Ficha técnica de producto

Guantes desechables de Nitrilo Lite
Referencia: HGN-007,HGN-008

Certificación EN ISO 374-1: 2016+ A1



EN ISO 374-5



Para los guantes que ofrecen una protección contra las bacterias y los hongos.

EN ISO 374-5



Para los guantes que protegen contra las bacterias, los hongos y los virus.

VIRUS

Certificate number: 2777/21021-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category III product.

Physical Properties

Test	Before Aging		After Aging	
	Minimum	Typical Value	Minimum	Typical Value
Tensile Strength (MPa)	14	26.79-39.61	14	24.95-43.29
Ultimate Elongation	500%	580-656%	400%	504-588%

Product reference:

BTDJS-01

Description:

Disposable Nitrile Examination Gloves
thickness: 0.07mm
Color: Blue, Black, Purple

Sizes:

6-9 (S-XL)

Classification:

EN ISO 374-1:2016+A1:2018/Type B

Level

(K) Sodium hydroxide 40%
(P) Hydrogen peroxide 30%
(T) Formaldehyde 37%

6
2
5

EN ISO 374-4:2019

Degradation %

-33.6
20.8
-5.6

EN ISO 374-5:2016

Level

Protection against Bacteria and Fungi
Protection against Viruses

Pass
Pass

Standards/technical specifications applied:

EN ISO 21420:2020; EN ISO 374-1:2016+A1:2018; EN ISO 374-5:2016

Technical reports/Approval documents:

SATRA: CHT0323299/2148, CHM0323835/2150/CC/A, CHM0323835/2150/CC/B, CHM2014714/2444/2/45933/2, CHM2014714/2444/1/45934/2.

Registro Invima



Definiciones Paca: caja de cartón que contiene displays de producto, Display: caja plegadiza impresa que contiene las unidades de producto generalmente usada para exhibir el producto en el punto de venta. **Medidas** centímetros (cm), Kilogramos(Kg), gramos(gr), metros(m), milímetros(mm)

Documento protegido por derechos de autor
prohibida su reproducción total o parcial.
Ukaint S.A.S. - Bogotá, Colombia

www.ukaint.com



Ficha técnica de producto

Guantes desechables de Nitrilo
Referencia: HGN-005, HGN-006, HGN-009,
HGN-010, HGN-011

Variaciones de color y código de barras

Rosado 		Morado 	
Referencia:HGN-005		Referencia:HGN-006	
Talla XS	Talla S	Talla XS	Talla S
 7 709764 990505	 7 709764 990567	 7 709589 427651	 7 709589 427675
Talla M	Talla L	Talla M	Talla L
 7 709320 617792	 7 709764 990598	 7 709320 617723	 7 709589 427699
Rojo 		Verde 	
Referencia:HGN-005		Referencia:HGN-010	
Talla S		Talla S	
 7 709109 515462		 7 709182 143385	
Talla M	Talla L	Talla M	Talla L
 7 709679 817997	 7 709109 515400	 7 709679 817904	 7 709109 515486
Naranja 			
Referencia:HGN-011			
Talla S			
 7 709109 515455			
Talla M		Talla L	
 7 708981 824716	 7 709589 427682		

Registro Invima



Definiciones Paca: caja de cartón que contiene displays de producto, Display: caja plegadiza impresa que contiene las unidades de producto generalmente usada para exhibir el producto en el punto de venta. **Medidas** centímetros (cm), Kilogramos(Kg), gramos(gr), metros(m), milímetros(mm)

Documento protegido por derechos de autor
prohibida su reproducción total o parcial.
Ukaint S.A.S. - Bogotá, Colombia

www.ukaint.com

Safety Data Sheet

Section 1: Identification

Product Name	:	ASAP Lite Nitrile Powder Free Examination Glove
Product Identification	:	Nitrile Disposable Glove, Powder Free, Non-Sterile, Ambidextrous, Finger Textured, Beaded Cuff, Single Use Only
Company	:	ASAP International Sdn. Bhd.
Address	:	No.1, Jalan Sitar 33/6, Seksyen 33, 40400 Shah Alam, Selangor, Malaysia
Telephone Number	:	+603-5191 0166

Section 2: Hazard(s) Identification

Biological Hazards	:	Components used in glove manufacturing may cause allergic reaction in some user.
Hazards Related to The Re-use of The Medical Device	:	Re-use of the non-sterile single use medical glove, leading to, i) Loss of product lot traceability, ii) Risk of contamination and infection increases due to improper cleaning process, iii) Damages / weakening by the cleaning processes leading to increased risk of holes and tear during re-use.

Section 3: Composition / Information on Ingredients

Acrylonitrile Butadiene Rubber, Sulfur, Accelerators, Zinc Oxide, Potassium Hydroxide, Titanium Dioxide, Blue Pigment/Black Pigment

Section 4: First-Aid Measures

None

Section 5: Fire-Fighting Measures

Extinguishing Media	:	Foam, Carbon Dioxide and Water
Flash Point	:	None

Section 6: Accidental Release Measures

None

Ficha técnica de producto



Section 7: Handling and Storage

- 1) The product should be stored in a cool dry place avoiding exposure to direct sunlight, high temperature and humidity.
- 2) After the package is open, direct sunlight, fluorescent lighting and devices generating ozone should be avoided and the product should be kept away from X-Ray apparatus.
- 3) Do not store these gloves with organic solvents as these solvents can degrade the gloves.
- 4) Ventilation is not necessary under normal storage condition.

Section 8: Exposure Controls / Personal Protection

None

Section 9: Physical and Chemical Properties

Feature	:	These gloves meet the ASTM D6319 standard
Form	:	Soft solid form
Color	:	Blue/Black/White

Section 10: Stability and Reactivity

Stability	:	Stable
Condition to Avoid	:	None
Incompatible Material	:	None

Section 11: Toxicological Information

Animal safety test for potential skin irritation and delayed skin sensitization showed that the glove is neither a skin irritant nor potential skin sensitizer.

Section 12: Ecological Information (Non-Mandatory)

Not applicable.

Section 13: Disposal Considerations (Non-Mandatory)

The gloves are non-biodegradable product where special decommissioning or disposal is required.



Section 14: Transport Information (Non-Mandatory)

No special transportation requirements.

Section 15: Regulatory Information (Non-Mandatory)

Not applicable

Section 16: Other Information

Not applicable



Ficha técnica de producto

Guantes desechables de Nitrilo Lite
Referencia: HGN-007,HGN-008

Certificación EN ISO 374-1: 2016+ A1



EN ISO 374-5



Para los guantes que ofrecen una protección contra las bacterias y los hongos.

EN ISO 374-5



Para los guantes que protegen contra las bacterias, los hongos y los virus.

VIRUS

Certificate number: 2777/21021-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category III product.

Physical Properties

Test	Before Aging		After Aging	
	Minimum	Typical Value	Minimum	Typical Value
Tensile Strength (MPa)	14	26.79-39.61	14	24.95-43.29
Ultimate Elongation	500%	580-656%	400%	504-588%

Product reference:

BTDJS-01

Description:

Disposable Nitrile Examination Gloves
thickness: 0.07mm
Color: Blue, Black, Purple

Sizes:

6-9 (S-XL)

Classification:

EN ISO 374-1:2016+A1:2018/Type B

Level

(K) Sodium hydroxide 40%
(P) Hydrogen peroxide 30%
(T) Formaldehyde 37%

6
2
5

EN ISO 374-4:2019

Degradation %

-33.6
20.8
-5.6

EN ISO 374-5:2016

Level

Protection against Bacteria and Fungi
Protection against Viruses

Pass
Pass

Standards/technical specifications applied:

EN ISO 21420:2020; EN ISO 374-1:2016+A1:2018; EN ISO 374-5:2016

Technical reports/Approval documents:

SATRA: CHT0323299/2148, CHM0323835/2150/CC/A, CHM0323835/2150/CC/B, CHM2014714/2444/2/45933/2, CHM2014714/2444/1/45934/2.

Registro Invima



Definiciones Paca: caja de cartón que contiene displays de producto, Display: caja plegadiza impresa que contiene las unidades de producto generalmente usada para exhibir el producto en el punto de venta. **Medidas** centímetros (cm), Kilogramos(Kg), gramos(gr), metros(m), milímetros(mm)

Documento protegido por derechos de autor
prohibida su reproducción total o parcial.
Ukaint S.A.S. - Bogotá, Colombia

www.ukaint.com



Ficha técnica de producto

Guantes desechables de Nitrilo Lite
Referencia: HGN-007,HGN-008

Certificación EN ISO 374-1: 2016+ A1



EN ISO 374-5



Para los guantes que ofrecen una protección contra las bacterias y los hongos.

EN ISO 374-5



Para los guantes que protegen contra las bacterias, los hongos y los virus.

VIRUS

Certificate number: 2777/21021-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category III product.

Physical Properties

Test	Before Aging		After Aging	
	Minimum	Typical Value	Minimum	Typical Value
Tensile Strength (MPa)	14	26.79-39.61	14	24.95-43.29
Ultimate Elongation	500%	580-656%	400%	504-588%

Product reference:

BTDJS-01

Description:

Disposable Nitrile Examination Gloves
thickness: 0.07mm
Color: Blue, Black, Purple

Sizes:

6-9 (S-XL)

Classification:

EN ISO 374-1:2016+A1:2018/Type B

Level

(K) Sodium hydroxide 40%
(P) Hydrogen peroxide 30%
(T) Formaldehyde 37%

6
2
5

EN ISO 374-4:2019

Degradation %

-33.6
20.8
-5.6

EN ISO 374-5:2016

Level

Protection against Bacteria and Fungi
Protection against Viruses

Pass
Pass

Standards/technical specifications applied:

EN ISO 21420:2020; EN ISO 374-1:2016+A1:2018; EN ISO 374-5:2016

Technical reports/Approval documents:

SATRA: CHT0323299/2148, CHM0323835/2150/CC/A, CHM0323835/2150/CC/B, CHM2014714/2444/2/45933/2, CHM2014714/2444/1/45934/2.

Registro Invima



Definiciones Paca: caja de cartón que contiene displays de producto, Display: caja plegadiza impresa que contiene las unidades de producto generalmente usada para exhibir el producto en el punto de venta. **Medidas** centímetros (cm), Kilogramos(Kg), gramos(gr), metros(m), milímetros(mm)

Documento protegido por derechos de autor
prohibida su reproducción total o parcial.
Ukaint S.A.S. - Bogotá, Colombia

www.ukaint.com